

Assessment of Key Minerals and Harmful Metals

- Whole Blood, Red Blood Cell and Serum Elements
- Urine Toxic and Essential Elements
- Hair Elements
- Stool Toxic Metals



SCIENCE+INSIGHT

Toxic and Essential Elements

Elements are the basic building blocks of all chemical compounds, and human exposure to them occurs both from natural and anthropogenic sources. Many elements are considered nutrients and are essential for the proper functioning of the body. These are generally divided between macrominerals such as calcium, magnesium, potassium, sodium and zinc, and trace minerals including selenium, iodine, boron and molybdenum.

Conversely, there are a number of elements that are toxic to the human body, interfere with its functioning and undermine health—such as mercury, lead, cadmium, aluminum, and arsenic. These toxic metals have no known physiological functions. They can be toxic to organ systems and may disrupt the balance of essential nutrients. Toxic metals and essential element status can be assessed in urine, blood, feces and hair.

Doctor's Data has always employed the best-available techniques as a specialist and pioneer in essential and toxic elemental testing. In fact, we were one of the first clinical reference laboratories in the world to employ ICP-MS and high-resolution ICP-MS for elemental analysis.



Comprehensive Blood Elements



The standard for diagnosis of lead, mercury or other metal toxicity, whole blood metals are also used to assess recent or ongoing exposure to potentially toxic elements. Red blood cell (RBC) elements tests are used to assess the status of essential elements with important intracellular functions, such as magnesium, copper and zinc. Serum elements are used to assess the status of key elements and electrolytes. Deficiencies or excesses of these essential elements affect numerous metabolic processes.



LAB #: Sample Report PATIENT: Sample Patient

CLIENT #: 12345 DOCTOR: Sample Doctor Doctor's Data, Inc. 3755 Illinois Ave. St. Charles, IL 60174 U.S.A.

Essential Elements; Serum

Calcium	(Ca)
Magnesium	(Mg
Sodium	(Na)
Potassium	(K)
Phosphorus	(P)
Iron	(Fe)

Sodium and Potassium
Sodium (Na*) and potassium (K*) are ele
hydration of various body fluid compartme
violation-reduction reactions and partic
Hemolysis can result in falsely elevated K

Magnesium
Magnesium (Mg) is a major intracellular c
about the factors affecting serum Mg, but
poor diel/malabsorption, diabetes, hypert
alcoholism and diuresis. Increased serur
Addison's disease.

Calcium
Although 99% of calcium exists in bones
nerve impulses, muscle contraction, coar
ergulated by parathyroid hormone, and s
muscle tetany while high Ca levels result if
Marked variations in serum Ca may result
kidney disease, and other abnormalities.

Inorganic Phosphorus Measurements of serum inorganic phos measurements or serum inorganic pnospi parathyroid gland and kidney diseases, a parathyroid hormone, and PO₄ levels are in muscle weakness, while elevated PO₄ may

Iron
Measurements of non-heme, serum iron (F toxicity and acute or chronic hemochromate ferritin.

Date Collected: 02/19/2022
Date Received: 02/21/2022
Date Completed: 02/22/2022



LAB #: B000000-0000-0
PATIENT: Sample Patient
ID: PATIENT-S-00000
SEX: Female
DOB:

CLIENT #: 12345 DOCTOR: Doctor's Data, Inc. 3755 Illinois Ave. St. Charles, IL 60174 U.S.A.

Toxic & Essential Elements; Whole Blood

Calcium	(Ca)
Magnesium	(Mg)
Copper	(Cu)
Zinc	(Zn)
Manganese	(Mn)
Chromium	(Cr)
Lithium	(Li)
Selenium	(Se)
Strontium	(Sr)
Molybdenum	(Mo)
Vanadium	(V)

Arsenic	(As)
Barium	(Ba)
Cadmium	(Cd)
Cobalt	(Co)
Lead	(Pb)
Mercury	(Hg)
Nickel	(Ni)
Platinum	(Pt)
Thallium	(TI)
Tungsten	(W)
Uranium	(U)

Date Collected: 01/04/2022 Date Received: 01/05/2022 Date Reported: 01/07/2022 Blood lead levels in the range of 5-9 µg/dL ha

LAB #: B000000-0000-0 PATIENT: Sample Patient ID: PATIENT-S-00000 SEX: Female

AGE: 71

CLIENT #: 12345 Doctor's Data, Inc. 3755 Illinois Ave. St. Charles, IL 60174 U.S.A.

Toxic & Essential Elements; Packed Red Blood Cells

		ESSENTI	IAL AND O	THER ELEMENTS					
				REFERENCE			RCENTI		
		RESULT	/ UNIT	INTERVAL	2.5 th	16 th	50 th	84 th	97.5 th
Calcium	(Ca)	15	μg/g	8-26			•		
Magnesium	(Mg)	37	μg/g	39-59	_		_		
Potassium	(K)	86	mEq/L	78-97		_	_		
Phosphorus	(P)	578	μg/g	520-670			-		
Copper	(Cu)	0.586	μg/g	0.52-0.8		-	_		
Zinc	(Zn)	8.0	μg/g	7.8-13.8	_		—		
Iron	(Fe)	917	μg/g	800-1010			-		
Manganese	(Mn)	0.030	μg/g	0.009-0.033			_		-
Selenium	(Se)	0.170	μg/g	0.16-0.49	_		_		
Boron	(B)	0.101	μg/g	0.01-0.11			_		-
Molybdenum	(Mo)	0.0006	μg/g	0.0002-0.001			_	_	

			TOXIC M	ETALS		
		RESULT /	UNIT	REFERENCE INTERVAL	95 th	RCENTILE 99 th
Arsenic	(As)	0.0048	μg/g	< 0.008		
Cadmium	(Cd)	0.0013	μg/g	< 0.002		
Cesium	(Cs)	0.0070	μg/g	< 0.015		
Chromium	(Cr)	0.0013	μg/g	< 0.0005		
Lead	(Pb)	0.043	μg/g	< 0.05		
Mercury	(Hg)	0.0097	μg/g	< 0.01		
Thallium	(TI)	0.00007	μg/g	< 0.00005		

Results are presented in a clear, easy-to-understand report which details target ranges and graphically illustrates areas of concern. Result-specific commentary is also provided.

Date Collected: 03/30/2017 Methodology: LC-MS/MS Date Reported: 04/06/2017 ©DOCTOR'S DATA. INC. • ADDRESS: 3755 Illinois Avenue. St. Charles. IL 60174-2420 • LAB DIR: Erlo Roth. MD • CLIA ID NO: 14D0646470


Urine Toxic and Essential Elements



Urine Elements are traditionally used to evaluate exposure to potentially toxic elements and wasting of nutrient elements. Toxic metals do not have any useful physiological function. Instead, they adversely affect virtually every organ system and disrupt the homeostasis of nutrient elements.

Additionally, the comparison of urine element concentrations before and after administration of a chelator can be used to estimate net retention of potentially toxic elements. Subsequent urine element analyses, also following the administration of a chelator, are useful for monitoring the efficacy of

metal detoxification therapy. Results are expressed per 24 hours or creatinine corrected to account for urine dilution effects.



Hair Elements



Hair Elements analysis provides information regarding recent and ongoing exposure to potentially toxic metals, especially methylmercury and arsenic, and time-averaged status of specific nutrient elements. This noninvasive screening test requires only .25 grams of hair. Doctor's Data offers a Hair Elements profile containing essential and toxic elements and a Hair Toxic Element Exposure profile containing an expanded lineup of toxic metals.

A specialist and pioneer in essential and toxic elemental testing since 1972, Doctor's Data has been validated as a supplier of trace element results for the certification of a hair reference material to the European Commission Joint Research Centre.



LAB #: Sample Report PATIENT: Sample Patient ID: SEX: Male

CLIENT #: 12345 DOCTOR: Sample Doctor Doctor's Data, Inc. 3755 Illinois Ave. St. Charles, IL 60174 U.S.A.

Toxic Element Exposure Profile; Hair

	TOXIC METALS										
		RESULT μg/g	REFERENCE INTERVAL	PERCE 68 th	NTILE 95 th						
Arsenic	(As)	0.096	< 0.20								
Lead	(Pb)	31	< 5.0			_					
Mercury	(Hg)	3.9	< 3.0		 -						
Cadmium	(Cd)	0.18	< 0.30								
Chromium	(Cr)	0.40	< 0.95								
Beryllium	(Be)	< 0.01	< 0.050								
Cobalt	(Co)	0.013	< 0.080								



PATIENT: Sample Patient ID: SEX: Male AGE: 5

CLIENT #: 12345 DOCTOR: Sample Doctor Doctor's Data, Inc. 3755 Illinois Ave. St. Charles, IL 60174 U.S.A.

Toxic & Essential Elements: Hair

		TOXIC M	ETALS			
		RESULT μg/g	REFERENCE INTERVAL		PERCENTILE 68 th	95 th
Aluminum	(AI)	17	< 8.0			30
Antimony	(Sb)	0.096	< 0.066			•
Arsenic	(As)	0.27	< 0.080			
Barium	(Ba)	0.39	< 0.50			
Beryllium	(Be)	< 0.01	< 0.020			•
Bismuth	(Bi)	0.033	< 2.0	-		
Cadmium	(Cd)	0.054	< 0.070)	
Lead	(Pb)	4.6	< 1.0			
Mercury	(Hg)	0.38	< 0.40		_	
Platinum	(Pt)	< 0.003	< 0.005			
Thallium	(TI)	0.001	< 0.002	•		
Thorium	(Th)	0.001	< 0.002	P		
Uranium	(U)	0.58	< 0.060			
Nickel	(Ni)	0.17	< 0.20			
Silver	(Ag)	0.23	< 0.20			
Tin	(Sn)	0.29	< 0.30		—	
Titanium	(Ti)	0.71	< 1.0			
Total Toxic Representation						
		ESSENTIAL AND O	THER ELEMENTS			
		RESULT	REFERENCE		PERCENTILE	
		μg/g	INTERVAL	2.5 th	16 th 50 th	84 th 97.5 th
Calcium	(Ca)	920	125- 370			
Magnesium	(Mg)	230	12- 30			
Sodium	(Na)	64	20- 200		•	
Potassium	(K)	31	12- 200			
Copper	(Cu)	30	11- 18			
Zinc	(Zn)	86	100- 190			
Manganese	(Mn)	1.4	0.10- 0.50			
Chromium	(Cr)	0.59	0.43- 0.80		<u> </u>	
Vanadium	(V)	0.28	0.030- 0.10			
Molybdenum	(Mo)	0.15	0.050- 0.13			
Boron	(B)	8.6	0.70- 5.0			
lodine	(I)	2.4	0.25- 1.3	-		
Lithium	(Li)	0.045	0.007- 0.020	-		
Phosphorus	(P)	200	150- 220			
Selenium	(Se)	0.63	0.70- 1.1			
Strontium	(Sr)	7.5	0.16- 1.0	-		
Sulfur Cobalt	(S)	46300 0.035	45500- 53000 0.004- 0.020	-		
Iron	(Co)	19				
	(Fe)					
Germanium Rubidium	(Ge)	0.034 0.058	0.030- 0.040 0.016- 0.18			
Zirconium	(Rb)	0.058				
Zirconium	(Zr)		0.040- 1.0			_
	SPECIMEN	DATA			RATIOS	
COMMENTS:				ELEMENT		RANGE
				Ca/Mg	4	4- 30
Date Collected: 01/02/2022		Sample Size: 0.197 g	I	Ca/P	4.6	0.8- 8
Date Received: 01/10/2022		Sample Type: Head		Na/K	2.06	0.5- 10
Date Completed: 01/11/2022		Hair Color:		Zn/Cu	2.87	4- 20
Methodology: ICP/MS	7	reatment:		Zn/Cd	> 999	> 800


©DOCTOR'S DATA, INC. • ADDRESS: 3755 Illinois Avenue, St. Charles, IL 60174-2420 • CLIA ID NO: 14D0646470 • LAB DIR: Erlo Roth, MD

Stool Toxic Metals



Analysis of elements in stool provides a means to assess oral exposure, and to a lesser extent endogenous detoxification of potentially toxic metals. For several toxic elements such as mercury, cadmium, lead, antimony and uranium, biliary excretion of metals into feces is a primary natural route of elimination from the body. Specimen collection is convenient for the patient and only requires a single-step procedure. Elements are measured by ICP-MS and expressed on a dry weight basis to eliminate variability related to water content of the specimen.

Specimen collection is convenient for the patient and requires only a single-step procedure. Results are presented in a clear, easy-to-understand report and includes result-specific commentary.



Compare Profiles

	Urine Toxic and Essential Elements	Urine Toxic Elements	Stool Toxic Metals	Hair Elements	Hair Toxic Elements	Comprehensive Blood Elements	Whole Blood Elements	Serum Elements	Red Blood Cell Elements
Aluminum	V	V		V	V				
Antimony	V	V	V	V	V				
Arsenic	V	V	V	V	V	V	V		V
Barium	V	V		V	V	V	V		
Beryllium	V	V	V	V	V	-			
Bismuth	V	V	V	V	V				
Boron	V		-	V	-				V
Cadmium	V	V	V	V	V	V	V		V
Calcium	V	-	-	V	-	V	V	V	V
Cesium	V	V		·	V	•	•	·	V
Chromium	V			V	V	V	V		V
Cobalt	~			~	· ·	· ·	V		•
Copper	V		V	V	V	V	V		V
Gadolinium	· /	V	•	•		•	•		•
Germanium	•	•		V	V				
Gold				•	~				
lodine/lodide				V					
Iron	V			~		V		V	V
Lead	<i>V</i>	V	V	V	V	<i>V</i>	V		V
Lithium	<i>V</i>	V	V	V	V	<i>V</i>	<i>V</i>		<i>V</i>
	<i>V</i>			V		<i>V</i>	V	V	V
Magnesium	V			V		<i>V</i>	<i>V</i>	<i>V</i>	<i>V</i>
Manganese	V		,	V	V				
Mercury		V	V		V	V	V		V
Molybdenum	V			V		V	<i>V</i>		V
Nickel	V	V	V	V	V	V	V		
Palladium	V	~			V				
Phosphorus	V			V		V		V	V
Platinum	V	V	V	V	V	V	V		
Potassium	V			V		V		V	V
Rubidium				V					
Selenium	V			V	V	V	V		V
Silver				V	V				
Sodium	V			V		V		V	
Strontium	V			V		V	V		
Sulfur	V			V					
Tellurium	V	V			✓				
Thallium	V	V	V	V	V	V	V		V
Thorium	V	V		V	V				
Tin	V	V		V	V				
Titanium				V	V				
Tungsten	V	V	V		V	V	V		
Uranium	V	V	V	V	V	V	V		
Vanadium	✓			V	V	V	V		V
Zinc	V			V	V	V	~		V
Zirconium				V					

OUR MISSION:

To research, develop and offer innovative specialty tests that help doctors identify health risks and improve outcomes for patients with chronic conditions.

To educate and support healthcare professionals.

To improve lives through science.



3755 Illinois Avenue St. Charles, IL 60174-2420

800.323.2784 (US AND CANADA) +1.630.377.8139 (GLOBAL)

doctorsdata.com

About Doctor's Data

Doctor's Data, Inc. has provided innovative specialty testing to healthcare practitioners around the world from our advanced, CLIA-licensed clinical laboratory since 1972.

As a pioneer in the laboratory testing industry, Doctor's Data provides a wide array of testing solutions to aid in decision making and better patient outcomes. Choose Doctor's Data to help you assess and treat heavy metal burden, nutritional deficiencies, gastrointestinal function, hormone status, cardiovascular risk, liver and metabolic abnormalities, and more.