

SARS-CoV-2 Antibodies; serum

**Order:** SAMPLE REPORT**Client #:** 12345**Doctor:** Sample Doctor

Doctor's Data, Inc.

3755 Illinois Ave.

St. Charles, IL 60174

Patient: Sample Patient**Age:** 35**Sex:** Female**Sample Collection****Date/Time****Date Collected**


06/12/2020

Date Received

06/13/2020

Date Reported

06/14/2020

Analyte	Result	Reference Interval
SARS-CoV-2 IgG Antibody	Positive 	Negative

Information

- Positive results suggest recent or prior infection with SARS-CoV-2. Results from antibody testing should not be used as the sole basis to diagnose or exclude acute SARS-CoV-2 infection. If acute infection is suspected, direct testing for SARS-CoV-2 is necessary. False positive results may occur due to past or present infection with non-SARS-CoV-2 coronavirus strains, such as coronavirus HKU1, NL63, OC43, or 229E.
- This assay was performed using the Beckman Coulter SARS-CoV-2 Antibody Assay. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

Notes:

Methodology: Enzyme Immunoassay

SARS-CoV-2 Antibodies; serum

**Order:** SAMPLE REPORT**Client #:** 12345**Doctor:** Sample Doctor
Doctor's Data, Inc.
3755 Illinois Ave.
St. Charles, IL 60174**Patient:** Sample Patient**Age:** 35**Sex:** Female**Sample Collection****Date/Time****Date Collected**

06/12/2020

Date Received

06/13/2020

Date Reported

06/14/2020

Analyte	Result	Reference Interval
SARS-CoV-2 IgG Antibody	Negative <input checked="" type="checkbox"/>	Negative

Information

- This sample does not contain detectable SARS-CoV-2 IgG antibodies. Negative results do not preclude acute SARS-CoV-2 infection. Results from antibody testing should not be used as the sole basis to diagnose or exclude acute SARS-CoV-2 infection. If acute infection is suspected, direct testing for SARS-CoV-2 is necessary.
- This assay was performed using the Beckman Coulter SARS-CoV-2 Antibody Assay. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

Notes:

Methodology: Enzyme Immunoassay

SARS-CoV-2 Antibodies; serum



Order: SAMPLE REPORT



Client #: 12345

Doctor: Sample Doctor

Doctor's Data, Inc.

3755 Illinois Ave.

St. Charles, IL 60174

Patient: Sample Patient

Age: 35

Sex: Female

Sample Collection

Date/Time

Date Collected 06/12/2020

Date Received 06/13/2020

Date Reported 06/14/2020

Analyte	Result	Reference Interval
SARS-CoV-2 IgG Antibody	Equivocal <input type="checkbox"/>	Negative

Information

- Equivocal results may be consistent with early development of antibodies or declining levels of antibodies after infection with SARS-CoV-2. Repeat testing at a later date is recommended. Results from antibody testing should not be used as the sole basis to diagnose or exclude acute SARS-CoV-2 infection. If acute infection is suspected, direct testing for SARS-CoV-2 is necessary. False positive results may occur due to past or present infection with non-SARS-CoV-2 coronavirus strains, such as coronavirus HKU1, NL63, OC43, or 229E.
- This assay was performed using the Beckman Coulter SARS-CoV-2 Antibody Assay. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

Notes:

Methodology: Enzyme Immunoassay